

COMBILIFT 4.80 H - 4.240 H

Efficiency requires intelligent technology



Nussbaum

■ Electronically controlled heavy-duty lifts from 8 - 24 t

4 virtually maintenance-free hydraulic cylinders, replace cables, chains and pulleys.

- easy drive-on
- well positioned
- comfortable control unit
- safe, fast lifting and lowering

Safety
hydraulically operated mechanical safety catch system


runways
wide anti-skid

Millimeter precision
The by Nussbaum developed and patented stroke-measuring system (rotames) ensures perfect synchronization between the 4 cylinders.



Hot galvanized and customized lengths and widths

The optional hot-galvanization gives maximum protection. Upon request runway length and width can be adapted to your particular needs.



Online service

Nussbaum offers a special service option. Remote, distance diagnosis by our Service support function per modem, allows instant tele-presence at the customer by our service experts, throughout the world.

Fully covered control unit

with digital display indicating the lifting stroke. A keyboard permits programming of several lifting heights.






Technology transfer

The smart-tower of which Nussbaum has installed more than 65 Europe wide is, with the Rotames technology, the proportional hydraulics and the controller, the basis of our technology.

All smart-towers are relayed to our service department and can be maintained on-line.



■ Technical Data



Technical Data	4.80 H	4.120 H	4.160 H	4.200 H	4.240 H
Lifting capacity (kg)	8000	12000	16000	20000	24000
Lifting height (mm)	2050	2050	2080	2120	2120
Runway length (mm)	6000	6000	8000	9000	9000
Runway width (mm)	700	700	700	700	700
Drive-through width (mm)	3130	3130	3245	3365	3365
Overall length (mm)	7225	7225	9160	10500	10500
Overall width (mm)	3730	3730	3845	3965	3965
Lifting time (sec)	ca. 55	ca. 55	ca. 75	ca. 90	ca. 90

Options

- Axle jack with 2,5 or 10 ton capacity
- Lighting
- Drive-over ramps
- Hot galvanization
- Customized runway length and width
- Tele-service package

📍 Your NUSSBAUM dealer and servicepartner:

NUSSBAUM

Otto Nussbaum GmbH & Co. KG
 Korker Strasse 24
 D-77694 Kehl-Bodersweier
 Phone +49 / (0)78 53 / 899-0
 Fax +49 / (0)78 53 / 87 87
 info@nussbaum.lifte.de